## NSN 5315-01-124-1344

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-124-1344 First End Style: Chamfered **Second End Style:** Square **Shank Length:** Between 1.320 inches and 1.380 inches **Shoulder Diameter:** 0.280 inches **Shank Diameter:** Between 0.182 inches and 0.185 inches **Overall Length:** Between 1.720 inches and 1.780 inches **End Application:** W/s: aircraft, hawkeye e-2c; helicopter, seahawk, h-60; roller, vibrator: self-propelled high impact single drum; vehicle, aircraft refueller r-14; crane (rt41aa); helicopter sea king h-3; helicopter, lamps mark iii, sh-60b; aircraft, viking s-3b; aircraft, orion p-3; aircraft, hercules c-130f First End Taper Length: 0.130 inches Second End Relationship With First End: Not identical **Second Shank Diameter:** Between 0.182 inches and 0.185 inches First End Location: Chamfered end First End Taper Angle: 37.0 degrees **Second Shank Length:** Between 0.355 inches and 0.365 inches Material: Steel comp 1008 **Material Specification:** Aisi assn standard single material response **Surface Treatment:** Zinc **Surface Treatment Specification:** P-44-a fscm 16764 mfr ref single treatment response **Style Designator:** Shoulder Shelf Life: N/a

No

**Unit Of Measure:** 

**Demilitarization:** 

## NSN 5315-01-124-1344

Headless Shoulder Pin - Page 2 of 2



Fiig:

A212a0