

View Online at <https://aerobasegroup.com/nsn/5315-01-124-3210>

First End Style:

Chamfered

Thread Class:

2a

Thread Direction:

Right-hand

Thread Length:

Between 1.120 inches and 1.250 inches

Shank Length:

1.250 inches

Shoulder Diameter:

0.310 inches

Shank Diameter:

Between 0.493 inches and 0.498 inches

Overall Length:

2.930 inches

Hole Arrangement Style:

One end drilled

First Hole Diameter:

0.141 inches

Distance From Centerline Of Hole To End Of Pin:

0.150 inches

First End Taper Length:

0.045 inches

Second End Relationship With First End:

Identical

Thread Size:

0.500 inches

Second Shank Diameter:

Between 0.493 inches and 0.498 inches

First End Location:

Both ends

First End Taper Angle:

45.0 degrees

Second Shank Length:

1.370 inches

Material:

Steel comp 1010 or steel comp 1012 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019
or steel comp 1020

Material Specification:

Astm a576 assn standard all material responses

Surface Treatment:

Cadmium and phosphate

Surface Treatment Specification:

Qq-p-416, ty3, cl2 federal specification single treatment response

Style Designator:

Shoulder

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0