NSN 5315-01-124-7339

Headless Shoulder Pin - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5315-01-124-7339

	Style:
Square	
Shank Le	
Between	0.090 inches and 0.110 inches
Shoulder	Diameter:
Between	0.290 inches and 0.300 inches
Shank Di	ameter:
Between	0.1970 inches and 0.1985 inches
Overall L	ength:
0.810 incl	hes
End App	lication:
W/s: airc	raft, eagle f-15; engine, aircraft, f100-pw-100 (f-15a/b/c/d); engine, aircraft, f100-pw-200 (f-16a/b/c/d); support equipment, c-
aircraft	
Second E	End Relationship With First End:
Identical	
Hardness	s Rating:
30.0 rock	well c and 38.0 rockwell c
Second S	Shank Diameter:
Between	0.200 inches and 0.210 inches
First End	Location:
Both ends	8
Second S	Shank Length:
Between	0.655 inches and 0.685 inches
Material:	
Steel	
Material \$	Specification:
Ams 5613	3 assn standard single material response
Style Des	signator:
Shoulder	
Shelf Life	
N/a	
Unit Of M	leasure:
 Demilitar	ization:
No	
INU	
Fiig:	