## NSN 5315-01-128-1646

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-128-1646 First End Style: Square **Second End Style:** Chamfered **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.405 inches **Shank Length:** 0.467 inches **Shoulder Width Across Flats:** 0.438 inches **Shank Diameter:** Between 0.1890 inches and 0.1895 inches **Overall Length:** Between 0.880 inches and 0.900 inches Second End Taper Length: Between 0.288 inches and 0.308 inches Second End Relationship With First End: Not identical **Thread Size:** 0.190 inches **Second Shank Diameter:** Between 0.3020 inches and 0.3220 inches First End Location: Threaded end Second End Tip Radius: Between 0.060 inches and 0.090 inches **Second Shank Length:** Between 0.288 inches and 0.308 inches Material: Steel comp 302 or steel comp 304 or steel comp 303se **Material Specification:** Qq-s-763 cond b federal specification 1st material response or qq-s-763 cond b federal specification 2nd material response or mms265 cond b fscm 76301 mfr ref 3rd material response **Surface Treatment: Passivate** 

**Style Designator:** 

Shoulder

**Thread Series Designator:** 

Unjf

## NSN 5315-01-128-1646

Headless Shoulder Pin - Page 2 of 2



_				-		
C	h	0	Iŧ.		ife:	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A212a0