## NSN 5315-01-128-1648

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-128-1648 First End Style: Square **Second End Style:** Chamfered **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.405 inches **Shank Length:** 0.530 inches **Shoulder Width Across Flats:** 0.438 inches **Shank Diameter:** Between 0.2490 inches and 0.2495 inches **Overall Length:** Between 1.697 inches and 1.757 inches Second End Taper Length: Between 0.250 inches and 0.270 inches Second End Relationship With First End: Not identical **Thread Size:** 0.250 inches **Second Shank Diameter:** Between 0.2490 inches and 0.2495 inches First End Location: Threaded end Second End Tip Radius: Between 0.060 inches and 0.090 inches **Second Shank Length:** Between 1.042 inches and 1.102 inches Material: Steel comp 302 or steel comp 304 or steel comp 303se **Material Specification:** Qq-s-763 cond b federal specification 1st material response or qq-s-763 cond b federal specification 2nd material response or mms265 cond b fscm 76301 mfr ref 3rd material response **Surface Treatment: Passivate** 

Shoulder

**Style Designator:** 

**Thread Series Designator:** 

Unjf

## NSN 5315-01-128-1648

Headless Shoulder Pin - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A212a0