## NSN 5315-01-130-3313

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-130-3313 First End Style: Chamfered Second End Style: Chamfered **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.440 inches **Shank Length:** 0.440 inches **Shoulder Width Across Flats:** 0.312 inches **Shank Diameter:** 0.112 inches **Overall Length:** 1.220 inches First End Taper Length: 0.032 inches **Second End Taper Length:** 0.130 inches Second End Relationship With First End: Not identical **Thread Size:** 0.112 inches **Second Shank Diameter:** Between 0.1525 inches and 0.1530 inches **First End Location:** Chamfered end First End Taper Angle: 45.0 degrees **Second End Tip Radius:** 0.015 inches **Surface Finish:** 63.0 microinches outside diameter **Second End Taper Angle:** 15.0 degrees Second Shank Length:

Second Shank 0.687 inches Material: Steel comp 303

## NSN 5315-01-130-3313

Headless Shoulder Pin - Page 2 of 2



Material Specification:
Astm a582 assn standard single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A212a0