## NSN 5315-01-138-6484

Headless Shoulder Pin - Page 1 of 2

First End Style:

Second End Style:

**Thread Direction:** 

Thread Length: 0.625 inches Shank Length: 1.187 inches

Chamfered

Chamfered
Thread Class:

Right-hand

За



View Online at https://aerobasegroup.com/nsn/5315-01-138-6484

Shoulder Width Across Flats:	
0.875 inches	
Shank Diameter:	
Between 0.4365 inches and 0.4370 inches	
Overall Length:	
3.125 inches	
First End Taper Length:	
0.053 inches	
Second End Taper Length:	
Between 0.668 inches and 0.708 inches	
Second End Relationship With First End:	
Not identical	
Thread Size:	
0.438 inches	
Second Shank Diameter:	
Between 0.3710 inches and 0.3730 inches	
First End Location:	
Chamfered end	
First End Taper Angle:	
45.0 degrees	
Second End Tip Radius:	
Between 0.060 inches and 0.090 inches	
Second Shank Length:	
1.813 inches	
Material:	
Steel comp xm-13	
Material Specification:	
Ams 5629 assn standard single material response	
Surface Treatment:	
Passivate	

## NSN 5315-01-138-6484

Headless Shoulder Pin - Page 2 of 2



Style	Designator

Shoulder

**Thread Series Designator:** 

Unjf

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A212a0