NSN 5315-01-143-4143

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-143-4143 First End Style: Chamfered Second End Style: Chamfered **Shank Length:** Any acceptable **Shoulder Diameter:** Between 0.2575 inches and 0.2580 inches **Shank Diameter:** Between 0.1876 inches and 0.1878 inches **Overall Length:** Between 0.720 inches and 0.780 inches **Undercut Diameter:** 0.1678 inches **Undercut Width:** Any acceptable First End Taper Length: Between 0.020 inches and 0.040 inches Second End Taper Length: Between 0.090 inches and 0.110 inches **Second End Relationship With First End:** Not identical **Hardness Rating:** 56.0 rockwell c **First End Location:** Shank end First End Taper Angle: Between 43.0 degrees and 47.0 degrees **Second End Taper Angle:** Between 29.0 degrees and 31.0 degrees Material: Steel comp 440c **Material Specification:** Qq-s-763 federal specification single material response **Surface Treatment: Passivate Surface Treatment Specification:** Astm a380 assn standard single treatment response **Style Designator:** Undercut Shelf Life:

N/a

NSN 5315-01-143-4143

Headless Shoulder Pin - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A212a0