## NSN 5315-01-160-4655

Headless Shoulder Pin - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5315-01-160-4655



First End Style: Chamfered Second End Style: Chamfered **Thread Class:** За **Thread Direction:** Left-hand Thread Length: 0.750 inches **Shank Length:** 1.570 inches **Shoulder Diameter:** 1.562 inches **Shank Diameter:** Between 0.738 inches and 0.743 inches **Overall Length:** 4.000 inches **Hole Arrangement Style:** One end drilled First Hole Diameter: 0.250 inches Distance From Centerline Of Hole To End Of Pin: 0.320 inches First End Taper Length: 0.050 inches **Second End Taper Length:** Between 0.058 inches and 0.088 inches Second End Relationship With First End: Not identical **Thread Size:** 0.500 inches **Second Shank Diameter:** Between 0.412 inches and 0.422 inches First End Location: Unthreaded end First End Taper Angle: 45.0 degrees **Second End Taper Angle:** 

Second Shank Length:

45.0 degrees

2.250 inches

## NSN 5315-01-160-4655

Headless Shoulder Pin - Page 2 of 2



Material:
Steel comp xm-13
Material Specification:
Ams 5629 assn standard single material response
Style Designator:
Shoulder
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A212a0