## NSN 5315-01-164-1203

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-164-1203

First End Style:

Square

Second End Style:

Chamfered

Thread Class:

3a

## Thread Direction:

**Right-hand** 

Thread Length:

0.405 inches

Shank Length:

0.530 inches

Shoulder Width Across Flats:

0.438 inches

Shank Diameter:

Between 0.2490 inches and 0.2495 inches

Overall Length:

1.405 inches

Second End Taper Length:

Between 0.250 inches and 0.270 inches

Second End Relationship With First End:

Not identical

Thread Size:

0.250 inches

Second Shank Diameter:

Between 0.2490 inches and 0.2495 inches

**First End Location:** 

Threaded end

Second End Tip Radius:

Between 0.060 inches and 0.090 inches

Second Shank Length:

0.750 inches

Material:

Steel comp 302 or steel comp 304 or steel comp 303se

## Material Specification:

Qq-s-763 federal specification 1st material response or qq-s-763 federal specification 2nd material response or mms265, fscm 76301 mfr

ref 3rd material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Style Designator:

Shoulder

## NSN 5315-01-164-1203

Headless Shoulder Pin - Page 2 of 2

AeroBase Group

**Thread Series Designator:** 

Unjf

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A212a0