NSN 5315-01-164-1330 Headless Shoulder Pin - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5315-01-164-1330 First End Style: Chamfered **Second End Style:** Chamfered **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.340 inches and 0.360 inches **Shank Length:** Between 0.240 inches and 0.260 inches **Shoulder Width Across Flats:** Between 0.367 inches and 0.376 inches **Shank Diameter:** Between 0.186 inches and 0.187 inches **Overall Length:** 0.742 inches First End Taper Length: Between 0.030 inches and 0.050 inches **Second End Taper Length:** Between 0.020 inches and 0.035 inches

Second End Relationship With First End:

Not identical

Thread Size:

0.190 inches

Second Shank Diameter:

0.190 inches

First End Location:

Unthreaded end

First End Taper Angle:

Between 15.0 degrees and 25.0 degrees

Second End Taper Angle:

Between 30.0 degrees and 50.0 degrees

Second Shank Length:

Between 0.365 inches and 0.385 inches

Special Features:

Includes thread self-locking element

Material:

Steel

Material Specification:

Ams7477 assn standard single material response

NSN 5315-01-164-1330

Headless Shoulder Pin - Page 2 of 2



Style	Designator
Should	der

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0