NSN 5315-01-167-8371

First End Style: Chamfered

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-167-8371

| Second End Style: |
|--|
| Square |
| Thread Class: |
| 3a |
| Thread Direction: |
| Right-hand |
| Thread Length: |
| 0.430 inches |
| Overall Length: |
| 2.900 inches |
| First Step Diameter: |
| 0.500 inches |
| First Step Length: |
| 0.200 inches |
| Second Step Diameter: |
| 0.250 inches |
| Second Step Length: |
| 0.340 inches |
| Third Step Diameter: |
| Between 0.170 inches and 0.210 inches |
| |
| Third Step Length: |
| Third Step Length: 1.600 inches |
| |
| 1.600 inches |
| 1.600 inches First End Taper Length: |
| 1.600 inches First End Taper Length: Between 0.040 inches and 0.070 inches |
| 1.600 inches First End Taper Length: Between 0.040 inches and 0.070 inches Second End Relationship With First End: |
| 1.600 inches First End Taper Length: Between 0.040 inches and 0.070 inches Second End Relationship With First End: Not identical |
| 1.600 inches First End Taper Length: Between 0.040 inches and 0.070 inches Second End Relationship With First End: Not identical Thread Size: |
| 1.600 inches First End Taper Length: Between 0.040 inches and 0.070 inches Second End Relationship With First End: Not identical Thread Size: 0.250 inches |
| 1.600 inches First End Taper Length: Between 0.040 inches and 0.070 inches Second End Relationship With First End: Not identical Thread Size: 0.250 inches First End Location: |
| 1.600 inches First End Taper Length: Between 0.040 inches and 0.070 inches Second End Relationship With First End: Not identical Thread Size: 0.250 inches First End Location: Threaded end |
| 1.600 inches First End Taper Length: Between 0.040 inches and 0.070 inches Second End Relationship With First End: Not identical Thread Size: 0.250 inches First End Location: Threaded end First End Taper Angle: |
| 1.600 inches First End Taper Length: Between 0.040 inches and 0.070 inches Second End Relationship With First End: Not identical Thread Size: 0.250 inches First End Location: Threaded end First End Taper Angle: 45.0 degrees |
| 1.600 inches First End Taper Length: Between 0.040 inches and 0.070 inches Second End Relationship With First End: Not identical Thread Size: 0.250 inches First End Location: Threaded end First End Taper Angle: 45.0 degrees Special Features: |
| 1.600 inches First End Taper Length: Between 0.040 inches and 0.070 inches Second End Relationship With First End: Not identical Thread Size: 0.250 inches First End Location: Threaded end First End Taper Angle: 45.0 degrees Special Features: First step is hexagon shaped |
| 1.600 inches First End Taper Length: Between 0.040 inches and 0.070 inches Second End Relationship With First End: Not identical Thread Size: 0.250 inches First End Location: Threaded end First End Taper Angle: 45.0 degrees Special Features: First step is hexagon shaped Material: |
| 1.600 inches First End Taper Length: Between 0.040 inches and 0.070 inches Second End Relationship With First End: Not identical Thread Size: 0.250 inches First End Location: Threaded end First End Taper Angle: 45.0 degrees Special Features: First step is hexagon shaped Material: Steel comp 630 |
| 1.600 inches First End Taper Length: Between 0.040 inches and 0.070 inches Second End Relationship With First End: Not identical Thread Size: 0.250 inches First End Location: Threaded end First End Taper Angle: 45.0 degrees Special Features: First step is hexagon shaped Material: Steel comp 630 Material Specification: |

NSN 5315-01-167-8371

Headless Shoulder Pin - Page 2 of 2



| Thread Series Designator: |
|---------------------------|
| Unjf |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |

No

Fiig:

A212a0