

<b>NSN 5315-01-173-7874</b> Headless Shoulder Pin - Page 1 of 2	AeroBase Group
View Online at https://aerobasegroup.com/nsn/5315-01-173-7874	
First End Style:	
Square	
Second End Style:	
Chamfered	
Thread Class:	
3a	
Thread Direction:	
Right-hand	

Thread Length: 0.250 inches **Shank Length:** 0.467 inches

0.438 inches

**Shank Diameter:** 

**Overall Length:** 1.404 inches

One end drilled

0.140 inches

Not identical **Thread Size:** 0.250 inches

First Hole Diameter:

**Hole Arrangement Style:** 

**Second End Taper Length:** 

**Second Shank Diameter:** 

**Second End Tip Radius:** 

Second Shank Length:

Titanium alloy uns r56400

First End Location:

Threaded end

**Surface Finish:** 

0.812 inches Material:

**Shoulder Width Across Flats:** 

Between 0.2490 inches and 0.2495 inches

Between 0.076 inches and 0.086 inches

Between 0.250 inches and 0.270 inches Second End Relationship With First End:

Between 0.2490 inches and 0.2495 inches

Between 0.060 inches and 0.090 inches

125.0 microinches outside diameter

Distance From Centerline Of Hole To End Of Pin:

## NSN 5315-01-173-7874

Headless Shoulder Pin - Page 2 of 2



Material Specification:
Mil-t-9047, type 3, cond a military specification single material response
Style Designator:
Shoulder
Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-t-9047 spec.