## NSN 5315-01-174-0669

First End Style:

Second End Style:

**Thread Direction:** 

Square

За

Chamfered
Thread Class:

Right-hand

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-174-0669

Thread Length:
0.190 inches
Shank Length:
0.565 inches
Shoulder Width Across Flats:
0.375 inches
Shank Diameter:
Between 0.1851 inches and 0.1863 inches
Overall Length:
1.160 inches
Hole Arrangement Style:
One end drilled
First Hole Diameter:
Between 0.076 inches and 0.086 inches
Distance From Centerline Of Hole To End Of Pin:
0.140 inches
Second End Taper Length:
Between 0.190 inches and 0.210 inches
Second End Relationship With First End:
Not identical
Thread Size:
0.190 inches
Second Shank Diameter:
Between 0.1890 inches and 0.1895 inches
First End Location:
Threaded end
Second End Tip Radius:
Between 0.060 inches and 0.090 inches
Surface Finish:
125.0 microinches
Second Shank Length:
0.470 inches
Material:
Titanium alloy uns r56400

## NSN 5315-01-174-0669

Headless Shoulder Pin - Page 2 of 2

**Fiig:** A212a0

Mil-std (military Standard):

Mil-t-9047 spec.



Material Specification:
Mil-t-9047, type 3, cond a military specification single material response
Style Designator:
Shoulder
Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No