

View Online at <https://aerobasegroup.com/nsn/5315-01-181-1687>

**First End Style:**

Chamfered

**Hole Arrangement Style:**

Both end drilled

**First Hole Diameter:**

Between 0.125 inches and 0.129 inches

**Second Hole Diameter:**

Between 0.125 inches and 0.129 inches

**Distance From Centerline Of Hole To End Of Pin:**

0.270 inches

**Center To Center Distance Between Holes:**

Between 2.162 inches and 2.182 inches

**Pinlength:**

3.380 inches

**Pindiameter:**

0.5000 inches

**First End Taper Length:**

0.060 inches

**Features Provided:**

Casehardened

**Second End Relationship With First End:**

Identical

**Hardness Rating:**

89.0 rockwell superficial 15-n and 91.0 rockwell superficial 15-n

**First End Taper Angle:**

45.0 degrees

**Material:**

Steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021 or steel comp 1022 or steel comp 1023 or steel comp 1025

**Surface Treatment:**

Cadmium and chromate or zinc

**Surface Treatment Specification:**

Qq-p-416 type 2 cl 1 federal specification 1st treatment response or astm b633 type 2 cl fe/zn 13 assn standard 2nd treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A212a0