## NSN 5315-01-181-1687

Headless Straight Pin - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5315-01-181-1687

First End Style:
Chamfered
Hole Arrangement Style:
Both end drilled
First Hole Diameter:
Between 0.125 inches and 0.129 inches
Second Hole Diameter:
Between 0.125 inches and 0.129 inches
Distance From Centerline Of Hole To End Of Pin:
0.270 inches
Center To Center Distance Between Holes:
Between 2.162 inches and 2.182 inches
Pinlength:
3.380 inches
Pindiameter:
0.5000 inches
First End Taper Length:
0.060 inches
Features Provided:
Casehardened
Second End Relationship With First End:
Identical
Hardness Rating:
89.0 rockwell superficial 15-n and 91.0 rockwell superficial 15-n
First End Taper Angle:
45.0 degrees
Material:
Steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021
or steel comp 1022 or steel comp 1023 or steel comp 1025
Surface Treatment:
Cadmium and chromate or zinc
Surface Treatment Specification:
Qq-p-416 type 2 cl 1 federal specification 1st treatment response or astm b633 type 2 cl fe/zn 13 assn standard 2nd treatment response
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A212a0