

View Online at <https://aerobasegroup.com/nsn/5315-01-190-5910>

**First End Style:**

Chamfered

**Second End Style:**

Chamfered and counterbored

**Hole Arrangement Style:**

Drilled through center

**First Hole Diameter:**

0.261 inches

**Pinlength:**

4.880 inches

**Pindiameter:**

0.9990 inches

**Second End Counterbore Diameter:**

0.090 inches

**Second End Counterbore Depth:**

0.090 inches

**First End Taper Length:**

0.060 inches

**Second End Taper Length:**

0.060 inches

**Second End Relationship With First End:**

Not identical

**Hardness Rating:**

33.0 rockwell c and 37.0 rockwell c

**First End Taper Angle:**

45.0 degrees

**Second End Taper Angle:**

45.0 degrees

**Special Features:**

Hole is 0.310 in deep

**Material:**

Steel comp 4140 or steel comp 8740

**Surface Treatment:**

Phosphate

**Surface Treatment Specification:**

Mil-p-16232 military specification 1st treatment response and mil-I-3150 military specification 2nd treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A212a0

**Mil-std (military Standard):**

Mil-p-16232 spec.