NSN 5315-01-193-7079

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-193-7079 First End Style: Chamfered Second End Style: Chamfered **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.750 inches **Shank Length:** 0.750 inches **Shoulder Diameter:** Between 0.270 inches and 0.272 inches **Shank Diameter:** 0.250 inches **Overall Length:** 2.125 inches First End Taper Length: Between 0.040 inches and 0.060 inches **Second End Taper Length:** Between 0.020 inches and 0.040 inches **Second End Relationship With First End:** Not identical Hardness Rating: 35.0 rockwell c and 40.0 rockwell c **Thread Size:** 0.250 inches **First End Location:** Threaded end First End Taper Angle: 45.0 degrees **Second End Taper Angle:** 45.0 degrees **Special Features:** Slot in unthreaded end Material: Steel comp 4130 or steel comp 4135 or steel comp 4137 or steel comp 4140 **Style Designator:** Shoulder

Unc

Thread Series Designator:

NSN 5315-01-193-7079

Headless Shoulder Pin - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0