

View Online at <https://aerobasegroup.com/nsn/5315-01-194-0813>

First End Style:

Square

Hole Arrangement Style:

Drilled through center

First Hole Diameter:

0.375 inches

Pinlength:

0.969 inches

Pindiameter:

Between 0.7450 inches and 0.7500 inches

Features Provided:

Casehardened

Second End Relationship With First End:

Identical

Hardness Rating:

55.0 rockwell c and 60.0 rockwell c

Surface Finish:

125.0 microinches

Special Features:

Hole c'bore to 0.390 in. Dia, 0.125 in. Deep, both ends; thread size 0.375-24 unf 2b

Material:

Steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021 or steel comp 1022 or steel comp 1025 or steel comp 1110 or steel comp 1116 or steel comp 1117 or steel comp 1118 or steel comp 1119

Surface Treatment:

Cadmium and chromate or zinc

Surface Treatment Specification:

Qq-p-416, type 2, cl 3 federal specification 1st treatment response or astm b633, type 2, cl fe/zn 5 assn standard 2nd treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A212a0