NSN 5315-01-196-6787

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-196-6787 First End Style: Chamfered Second End Style: Chamfered **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.910 inches **Shoulder Diameter:** Between 0.557 inches and 0.559 inches **Overall Length:** 7.160 inches First Step Diameter: Between 0.7874 inches and 0.7899 inches First Step Length: 0.500 inches **Second Step Diameter:** 0.562 inches **Second Step Length:** 3.000 inches **Third Step Diameter:** Between 0.369 inches and 0.372 inches Third Step Length: 0.700 inches First End Taper Length: 0.040 inches **Second End Taper Length:** 0.250 inches Second End Relationship With First End: Not identical **Thread Size:** 0.5625 inches First End Location: Threaded end First End Taper Angle: 45.0 degrees **Second End Taper Angle:** Between 25.0 degrees and 35.0 degrees

Material:

Steel comp 4330

NSN 5315-01-196-6787

Headless Shoulder Pin - Page 2 of 2



	VI	ater	ial	Spe	cific	cation:
--	----	------	-----	-----	-------	---------

Ams 6411 assn standard single material response

Surface Treatment:

Cadmium and chromium

Surface Treatment Specification:

Ps13145, type 2, class 2 fscm 76301 mfr ref 1st treatment response and ps13102, class a fscm 76301 mfr ref 2nd treatment response

Style Designator:

Shoulder

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0