

NSN 5315-01-197-8208 Headless Shoulder Pin - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5315-01-197-8208 First End Style: Slotted **Second End Style:** Square **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.220 inches **Shank Length:** 0.250 inches **Shoulder Diameter:** Between 0.276 inches and 0.280 inches **Shank Diameter:** 0.250 inches **Overall Length:** Between 0.620 inches and 0.660 inches **Undercut Diameter:** 0.194 inches **Undercut Width:** 0.140 inches **Internal Drive Style:** Slot First End Slot Width: Between 0.064 inches and 0.075 inches

First End Slot Depth:

Between 0.087 inches and 0.109 inches

Thready Qty Per Inch (tpi):

28

Second End Relationship With First End:

Not identical

**Thread Size:** 

0.250 inches

First End Location:

Square end

Material:

Iron alloy 660

**Material Specification:** 

Ams 5731 assn standard single material response

**Surface Treatment:** 

**Passivate** 

## NSN 5315-01-197-8208

Headless Shoulder Pin - Page 2 of 2



Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Undercut
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No Fiig: A212a0