

View Online at <https://aerobasegroup.com/nsn/5315-01-210-8481>

First End Style:

Chamfered

Hole Arrangement Style:

Both end drilled

First Hole Diameter:

Between 0.078 inches and 0.082 inches

Second Hole Diameter:

Between 0.078 inches and 0.082 inches

Distance From Centerline Of Hole To End Of Pin:

Between 0.360 inches and 0.370 inches

Center To Center Distance Between Holes:

Between 2.160 inches and 2.170 inches

Pinlength:

Between 2.903 inches and 2.913 inches

Pindiameter:

Between 0.3100 inches and 0.3110 inches

First End Taper Length:

Between 0.020 inches and 0.040 inches

Second End Relationship With First End:

Identical

First End Taper Angle:

Between 40.0 degrees and 50.0 degrees

Special Features:

Thru hole 0.125 to 0.130 in. 1.454 in. Nom from each end 90 degrees of other two holes

Material:

Stainless steel

Material Specification:

Ams 5643 assn standard 1st material response or mil-h-6875 military specification 2nd material response

Surface Treatment:

Oxide film and passivate

Surface Treatment Specification:

Mil-I-8937 military specification 1st treatment response

Supplementary Features:

30 in. Hook spring supp

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A212a0

Mil-std (military Standard):

Mil-h-6875 spec.