## NSN 5315-01-217-4812

Headless Shoulder Pin - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5315-01-217-4812



First End Style: Oval **Second End Style:** Square **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.345 inches **Shank Length:** 0.440 inches **Shoulder Width Across Flats:** 0.375 inches **Shank Diameter:** Between 0.1851 inches and 0.1863 inches **Overall Length:** 0.972 inches Second End Relationship With First End: Not identical **Thread Size:** 0.1900 inches **Second Shank Diameter:** Between 0.1890 inches and 0.1895 inches **First End Location:** Oval end First End Outer Radius: Between 0.060 inches and 0.090 inches Second Shank Length: 0.407 inches Material: Steel comp 302 or steel comp 304 or steel comp 303se **Material Specification:** Qq-s-763, cond b federal specification 1st material response or qq-b-s-763, cond b federal specification 2nd material response or mms265 fscm 76301 mfr ref 3rd material response **Surface Treatment: Passivate Surface Treatment Specification:** Qq-p-35 federal specification single treatment response

Unjf

Shoulder

**Style Designator:** 

**Thread Series Designator:** 

## NSN 5315-01-217-4812

Headless Shoulder Pin - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A212a0