NSN 5315-01-218-7234

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-218-7234

First End Style:
Square
Second End Style: Chamfered and counterbored
Thread Class:
2a Thorad Biografians
Thread Direction:
Right-hand
Thread Length:
0.345 inches
First Step Diameter:
0.375 inches
First Step Length:
0.062 inches
Second Step Diameter:
Between 0.247 inches and 0.249 inches
Second Step Length:
0.250 inches
Third Step Diameter:
0.190 inches
Third Step Length:
0.375 inches
Second End Counterbore Diameter:
0.047 inches
Second End Counterbore Depth:
0.094 inches
Second End Taper Length:
0.031 inches
Second End Relationship With First End:
Not identical
Thread Size:
0.190 inches
First End Location:
Square end
Second End Taper Angle:
45.0 degrees
Special Features:
Projection on unthreaded end 0.094 in. Long by 0.125 in. Diameter and 0.125 in. Off center with a 45.0 degree chamfer
Material:
Steel comp 303
Material Specification:

Astm a581, cond a assn standard single material response

NSN 5315-01-218-7234

Headless Shoulder Pin - Page 2 of 2



Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A212a0