NSN 5315-01-220-5209

Headless Shoulder Pin - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5315-01-220-5209 First End Style: Counterbored w/thru hole Second End Style: Square w/thru hole **Shoulder Width Across Flats:** Between 0.401 inches and 0.405 inches **Overall Length:** Between 1.320 inches and 1.330 inches First Step Diameter: Between 0.495 inches and 0.500 inches **Second Step Diameter:** Between 0.401 inches and 0.405 inches Third Step Length: Between 0.330 inches and 0.350 inches **Hole Arrangement Style:** One end drilled First Hole Diameter: Between 0.1248 inches and 0.1253 inches Distance From Centerline Of Hole To End Of Pin: 0.060 inches **First End Counterbore Diameter:** Between 0.1248 inches and 0.1253 inches **First End Counterbore Depth:** Between 0.330 inches and 0.350 inches Second End Relationship With First End: Not identical First End Location: Counterbore end Material: Steel comp 302 or steel comp 304 or steel comp 304l or steel comp 305 or steel comp 309 or steel comp 310 or steel comp 316 or steel comp 316l or steel comp 317 or steel comp 321 or steel comp 347 **Material Specification:** Qq-s-763 federal specification all material responses **Style Designator:** Shoulder Shelf Life: N/a

No Fiig:

Unit Of Measure:

Demilitarization:

A212a0