

View Online at <https://aerobasegroup.com/nsn/5315-01-230-3705>

First End Style:

Chamfered

Second End Style:

Chamfered

Thread Class:

2b

Thread Direction:

Right-hand

Thread Length:

0.500 inches

First Step Diameter:

0.620 inches

First Step Length:

0.500 inches

Second Step Diameter:

Between 0.445 inches and 0.448 inches

Second Step Length:

1.250 inches

Third Step Diameter:

Between 0.345 inches and 0.350 inches

Third Step Length:

0.940 inches

Second End Relationship With First End:

Not identical

Thread Size:

0.190 inches

First End Location:

Threaded end

Second End Taper Angle:

30.0 degrees

Special Features:

Pin straight headless 2.190 in. Long and 0.190 in. Diameter welded through second shoulder 2.190 from second end

Material:

Steel comp 1010 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021 or steel comp 1022 or steel comp 1025

Material Specification:

Astm a108 assn standard all material responses

Surface Treatment:

Cadmium and chromate

Surface Treatment Specification:

Qq-p-416 type 2, cl 3 federal specification single treatment response

Style Designator:

Shoulder

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0