# NSN 5315-01-231-0756

Quick Release Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-231-0756

## Shank Diameter:

Between 0.1870 inches and 0.1895 inches

# **Button Handle Diameter:**

1.200 inches

# **Detent Quantity:**

2

# Actuation Method:

Push button

#### Grip Length:

Between 0.700 inches and 0.720 inches

## Actuation Type:

Push

## Hardness Rating:

36.0 rockwell c and 40.0 rockwell c shank

#### Shear Strength:

4600 double pounds per square inch

# Shoulder To Head End Distance:

1.550 inches

# Pin Attachment Type:

Hook or ring

# **Detent To Tapered End Distance:**

0.380 inches

# Material:

Steel comp 4130 or steel comp 4135 shank

## **Material Specification:**

Mil-s-6758 military specification single material response spindle

## Surface Treatment:

Cadmium and chromate spindle

## Surface Treatment Specification:

Qq-p-416, type 2, cl 2 federal specification single treatment response spindle

#### Style Designator:

Button

#### **Specification Data:**

80205-nas1333 professional/industrial association standard

#### Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

No

Fiig:

A212a0

# NSN 5315-01-231-0756

Quick Release Pin - Page 2 of 2

# Mil-std (military Standard):

Mil-s-6758 spec.

