## NSN 5315-01-241-1635

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-241-1635 First End Style: Chamfered Second End Style: Threaded and counterbored **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 22.0 millimeters First Step Diameter: Between 42.875 millimeters and 42.888 millimeters First Step Length: 22.10 millimeters **Second Step Diameter:** Between 33.351 millimeters and 33.363 millimeters Third Step Diameter: Between 28.575 millimeters and 28.588 millimeters **Second End Counterbore Diameter:** Between 16.7 millimeters and 17.3 millimeters **Second End Counterbore Depth:** 5.1 millimeters First End Taper Length: 1.5 millimeters **Second End Taper Length:** 0.8 millimeters Second End Relationship With First End: Not identical Thread Size: 0.625 inches First End Location: Small end First End Taper Angle: 45.0 degrees **Surface Finish:** 0.8 micrometers shoulder outside diameter **Second End Taper Angle:** 

45.0 degrees **Style Designator:** Shoulder **Thread Series Designator:** 

Unc

## NSN 5315-01-241-1635

Headless Shoulder Pin - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A212a0