NSN 5315-01-249-9713 Headless Shoulder Pin - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5315-01-249-9713 First End Style: Square **Second End Style:** Chamfered **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.405 inches **Shank Length:** 0.750 inches **Shoulder Width Across Flats:** 0.438 inches **Shank Diameter:** Between 0.2490 inches and 0.2495 inches **Overall Length:** 3.280 inches **Hole Arrangement Style:** One end drilled First Hole Diameter: Between 0.076 inches and 0.086 inches Distance From Centerline Of Hole To End Of Pin: 0.140 inches

Second End Taper Length:

Between 0.230 inches and 0.270 inches

Second End Relationship With First End:

Not identical

Thread Size:

0.250 inches

Second Shank Diameter:

Between 0.2490 inches and 0.2495 inches

First End Location:

Threaded end

Second End Tip Radius:

Between 0.060 inches and 0.090 inches

Second End Taper Angle:

45.0 degrees

Second Shank Length:

2.405 inches

Material:

Titanium alloy uns r56400

NSN 5315-01-249-9713

Headless Shoulder Pin - Page 2 of 2



Material Specification:
Mil-t-9047, type 3, cond a military specification single material response
Style Designator:
Shoulder

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-t-9047 spec.