# NSN 5315-01-252-5374

Hollow Pin - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5315-01-252-5374

# First End Style:

Counterbored w/thru hole

# Second End Style:

Counterbored w/thru hole

# Inside Diameter:

0.500 inches

## Hole Arrangement Style:

One end drilled

## First Hole Diameter:

Between 0.250 inches and 0.252 inches

# Distance From Centerline Of Hole To End Of Pin:

1.000 inches

### Pinlength:

2.890 inches

# Pindiameter:

Between 1.4179 inches and 1.4186 inches

## First End Counterbore Diameter:

1.140 inches

Second End Counterbore Diameter:

Between 0.806 inches and 0.810 inches

First End Counterbore Depth:

0.950 inches

#### Second End Counterbore Depth:

1.750 inches

#### Second End Relationship With First End:

Not identical

#### **Special Features:**

Outside diameter chromium per ps13102 cagec 76301; 1nside diameter threaded 0.500-20unf-2b; perpendicular hole countersunk at both ends 0.310 in. Dia, 90.0 deg; both counterbored ends radiused at inner edges 0.250 in. And countersunk 60.0 degrees at outer edges, 1.140 in. Diameter at first end and 0.880. In. Diameter at second end

#### Material:

Steel comp 300m

#### Material Specification:

Ams 6419 assn standard single material response

#### Shelf Life:

N/a

#### Unit Of Measure:

--

#### Demilitarization:

No

Fiig:

A212a0