NSN 5315-01-257-2386

Headless Shoulder Pin - Page 1 of 2

First End Style:

Second End Style:

Thread Direction:

Thread Length: 0.405 inches

Square

За

Chamfered
Thread Class:

Right-hand



View Online at https://aerobasegroup.com/nsn/5315-01-257-2386

Shank Length:
Between 0.522 inches and 0.602 inches
Shoulder Width Across Flats:
0.438 inches
Shank Diameter:
Between 0.2490 inches and 0.2495 inches
Overall Length:
Between 1.240 inches and 1.320 inches
Second End Taper Length:
Between 0.230 inches and 0.270 inches
Second End Relationship With First End:
Not identical
Thread Size:
0.250 inches
Second Shank Diameter:
Between 0.2490 inches and 0.2495 inches
First End Location:
Threaded end
Second End Tip Radius:
Between 0.060 inches and 0.090 inches
Second Shank Length:
0.655 inches
Material:
Steel comp xm-13
Material Specification:
Ams 5629 assn standard single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Shoulder

NSN 5315-01-257-2386

Headless Shoulder Pin - Page 2 of 2



Thread Series Des	ignator:
-------------------	----------

Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0