NSN 5315-01-266-2895

Quick Release Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-266-2895

Shank Diameter:

0.3125 inches

Button Handle Diameter:

Between 0.810 inches and 1.135 inches

Detent Quantity:

2

Actuation Method:

Push button

Grip Length:

1.000 inches

Actuation Type:

Push

Hardness Rating:

40.0 rockwell c spindle

Shoulder To Head End Distance:

0.930 inches

Criticality Code Justification:

Feat

Pin Attachment Type:

Link or ring

Detent To Tapered End Distance:

Between 0.300 inches and 0.330 inches

Special Features:

Tapered end diameter 0.173min-0.193max with 32.0 microinches finish and taper of 18 degrees min-22 degrees max

Material:

Steel comp 631 spring or steel comp 302 spring

Material Specification:

Qq-w-423, comp 302 federal specification single material response ring

Surface Treatment:

Passivate spring

Surface Treatment Specification:

Qq-p-35 federal specification 1st treatment response handle or mil-a-8625, ty i military specification 2nd treatment response handle or

mil-a-8625, ty ii, cls 1 military specification 2nd treatment response handle

Style Designator:

Button

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0

NSN 5315-01-266-2895

Quick Release Pin - Page 2 of 2

Mil-std (military Standard):

Mil-a-8625 spec.

