## NSN 5315-01-268-9882

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-268-9882

First End Style:
Chamfered
Second End Style:
Square
Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
0.370 inches
First Step Diameter:
Between 0.309 inches and 0.312 inches
First Step Length:
0.560 inches
Second Step Diameter:
Between 0.184 inches and 0.187 inches
Second Step Length:
1.190 inches
Third Step Diameter:
0.164 inches
Third Step Length:
0.370 inches
First End Taper Length:
0.090 inches
Second End Relationship With First End:
Not identical
Hardness Rating:
28.0 rockwell c and 32.0 rockwell c
Thread Size:
0.164 inches
First End Location:
Tapered end
First End Taper Angle:
30.0 degrees
Special Features:
First step taper 3.0 degree length of 0.300 in.; surface finish on taper and second step diameter 63.0 microinches, first step before taper
32.0 microinches
Material:
Steel comp 4140
Material Specification:
Aisi assn standard single material response
Style Designator:

Shoulder

## NSN 5315-01-268-9882

Headless Shoulder Pin - Page 2 of 2



Thread Series Designator:
Unc
Shelf Life:

N/a

**Unit Of Measure:** 

No

Demilitarization:

. . .

Fiig:

A212a0