NSN 5315-01-270-2833

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-270-2833

First End Style: Chamfered Second End Style: Square Thread Class: 2a **Thread Direction: Right-hand Thread Length:** 0.150 inches **Shoulder Width Across Flats:** Between 0.255 inches and 0.260 inches **Overall Length:** Between 0.730 inches and 0.770 inches First Step Length: 0.080 inches Second Step Diameter: Between 0.170 inches and 0.175 inches Second Step Length: Between 0.097 inches and 0.102 inches Third Step Diameter: 0.112 inches Third Step Length: 0.200 inches First End Taper Length: Between 0.040 inches and 0.080 inches Second End Relationship With First End: Not identical Thread Size: 0.112 inches **First End Location:** Chamfered end First End Taper Angle: 30.0 degrees **Special Features:** Second shoulder width across flat 0.180 in. Min, and 0.220 in. Max Material: Steel comp 303se **Material Specification:** Astm a581, cond a assn standard single material response **Surface Treatment:**

Passivate

NSN 5315-01-270-2833

Headless Shoulder Pin - Page 2 of 2



Surface Treatment Specification:

Qq-p-35, type 4 federal specification single treatment response

Style Designator:

Shoulder

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0