NSN 5315-01-273-6199

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-273-6199
First End Style:
Square
Second End Style:
Chamfered
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.345 inches
Shank Length:
0.470 inches
Shoulder Diameter:
0.375 inches
Shank Diameter:
Between 0.1890 inches and 0.1895 inches
Overall Length:
1.160 inches
Second End Taper Length:
Between 0.188 inches and 0.192 inches
Second End Relationship With First End:
Not identical
Thread Size:
0.190 inches
Second Shank Diameter:
Between 0.1851 inches and 0.1863 inches
First End Location:
Threaded end
Second End Tip Radius:
Between 0.060 inches and 0.090 inches
Surface Finish:
125.0 microinches
Second End Taper Angle:
45.0 degrees
Second Shank Length:
0.565 inches
Material:
Steel comp 302 or steel comp 304 or steel comp 303se
Material Specification:
Qq-s-763 cond b federal specification 1st material response or qq-s-763 cond b federal specification 2nd material response or mms285,
cagec 76301 mfr ref 3rd material response

Passivate

Surface Treatment:

NSN 5315-01-273-6199

Headless Shoulder Pin - Page 2 of 2



Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

Fiig:

A212a0