NSN 5315-01-273-6199

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-273-6199

First End Style:

Square

Second End Style:

Chamfered

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

0.345 inches

Shank Length:

0.470 inches

Shoulder Diameter:

0.375 inches

Shank Diameter:

Between 0.1890 inches and 0.1895 inches

Overall Length:

1.160 inches

Second End Taper Length:

Between 0.188 inches and 0.192 inches

Second End Relationship With First End:

Not identical

Thread Size:

0.190 inches

Second Shank Diameter:

Between 0.1851 inches and 0.1863 inches

First End Location:

Threaded end

Second End Tip Radius:

Between 0.060 inches and 0.090 inches

Surface Finish:

125.0 microinches

Second End Taper Angle:

45.0 degrees

Second Shank Length:

0.565 inches

Material:

Steel comp 302 or steel comp 304 or steel comp 303se

Material Specification:

Qq-s-763 cond b federal specification 1st material response or qq-s-763 cond b federal specification 2nd material response or mms285,

cagec 76301 mfr ref 3rd material response

Surface Treatment:

Passivate

NSN 5315-01-273-6199

Headless Shoulder Pin - Page 2 of 2



Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Style Designator:

Shoulder

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0