

View Online at <https://aerobasegroup.com/nsn/5315-01-276-4984>

**First End Style:**

Chamfered

**Second End Style:**

Chamfered

**Shank Length:**

Between 1.173 inches and 1.203 inches

**Shoulder Diameter:**

Between 1.740 inches and 1.744 inches

**Shank Diameter:**

0.750 inches

**Overall Length:**

Between 3.735 inches and 3.765 inches

**Hole Arrangement Style:**

One end drilled

**First Hole Diameter:**

Between 0.2495 inches and 0.2500 inches

**Distance From Centerline Of Hole To End Of Pin:**

1.500 inches

**First End Taper Length:**

Between 0.047 inches and 0.077 inches

**Second End Taper Length:**

Between 0.172 inches and 0.202 inches

**Second End Relationship With First End:**

Not identical

**Second Shank Diameter:**

0.750 inches

**First End Location:**

Long end

**First End Taper Angle:**

45.0 degrees

**Criticality Code Justification:**

Feat and styl

**Second End Taper Angle:**

15.0 degrees

**Second Shank Length:**

Between 1.720 inches and 1.780 inches

**Special Features:**

Item is a precision part w/critical fit application, refer to drawing when manufacturing item

**Material:**

Steel comp 303

**Material Specification:**

Astm a582 cond a assn standard single material response

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Qq-p-35 ty4 federal specification single treatment response

**Style Designator:**

Shoulder

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A212a0