

NSN 5315-01-280-6209 Headless Shoulder Pin - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5315-01-280-6209 First End Style: Chamfered Second End Style: Chamfered **Thread Direction:** Right-hand Thread Length: 14.0 millimeters **Shank Length:** 16.5 millimeters **Shoulder Width Across Flats:** 12.7 millimeters **Shank Diameter:** Between 7.95 millimeters and 8.00 millimeters **Overall Length:** 28.0 millimeters First End Taper Length: 2.0 millimeters **Second End Taper Length:** 2.0 millimeters

Second End Relationship With First End:

Not identical

Thread Size:

8.0 millimeters

Thread Pitch In Millimeters:

1.25

Second Shank Diameter:

8.0 millimeters

First End Location:

Unthreaded end

First End Taper Angle:

45.0 degrees

Second End Taper Angle:

30.0 degrees

Thread Tolerance Class:

6g external

Second Shank Length:

8.0 millimeters

Material:

Steel comp 303

Material Specification:

Astm a582 cond a assn standard single material response

NSN 5315-01-280-6209

Headless Shoulder Pin - Page 2 of 2



Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
M
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A212a0