

View Online at <https://aerobasegroup.com/nsn/5315-01-285-8969>

Head Style:

Pan no. 2 (r1 not required in item description)

Chamfer Length:

0.078 inches

Diameter:

Between 0.371 inches and 0.373 inches

Under Head Length:

2.282 inches

Hole Arrangement Style:

Both end drilled

First Hole Diameter:

0.106 inches

Second Hole Diameter:

Between 0.077 inches and 0.082 inches

Distance From Centerline Of Hole To End Of Pin:

0.135 inches

Center To Center Distance Between Holes:

0.459 inches

Pin Chamfer Angle:

15.0 degrees

Pin Head Diameter:

0.500 inches

Special Features:

W/three additional 0.077 in. Min 0.082 in. Maximum diameter holes on axial centerline at varying distances; 0.092 in. Min 0.097 in. Maximum diameter hole drilled in head 1.910 in. Nom dp and counterbore w/0.250-28 unf 2b thd 0.250 in. Nom dp

Height:

0.062 inches

Material:

Steel comp 4037 or steel comp 4130 or steel comp 8630

Material Specification:

Ams 6300 assn standard 1st material response or mil-s-6758 military specification 2nd material response or mil-s-6050 military specification 3rd material response

Surface Treatment:

Cadmium and chromate

Surface Treatment Specification:

Qq-p-416 ty2 cl2 federal specification single treatment response

Style Designator:

Straight

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-s-6758 spec.