

View Online at <https://aerobasegroup.com/nsn/5315-01-296-3026>

First End Style:

Chamfered

Second End Style:

Chamfered

Thread Class:

2a

Thread Direction:

Right-hand

Thread Length:

1.600 inches

Shank Length:

1.600 inches

Shoulder Width Across Flats:

1.500 inches

Shank Diameter:

0.8750 inches

Overall Length:

Any acceptable

Undercut Diameter:

0.770 inches

Undercut Width:

Between 0.130 inches and 0.170 inches

First End Taper Length:

0.090 inches

Second End Taper Length:

Any acceptable

Second End Relationship With First End:

Not identical

Thread Size:

0.8750 inches

Second Shank Diameter:

Between 1.057 inches and 1.067 inches

First End Location:

Threaded end

First End Taper Angle:

45.0 degrees

Second End Tip Radius:

0.180 inches

Second End Taper Angle:

30.0 degrees

Second Shank Length:

Any acceptable

Special Features:

Lubricant dry film surface treatment

Material:

Steel comp 630

Material Specification:

Ams 5643 assn standard single material response

Style Designator:

Undercut

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A212a0