

View Online at <https://aerobasegroup.com/nsn/5315-01-296-3026>

**First End Style:**

Chamfered

**Second End Style:**

Chamfered

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Thread Length:**

1.600 inches

**Shank Length:**

1.600 inches

**Shoulder Width Across Flats:**

1.500 inches

**Shank Diameter:**

0.8750 inches

**Overall Length:**

Any acceptable

**Undercut Diameter:**

0.770 inches

**Undercut Width:**

Between 0.130 inches and 0.170 inches

**First End Taper Length:**

0.090 inches

**Second End Taper Length:**

Any acceptable

**Second End Relationship With First End:**

Not identical

**Thread Size:**

0.8750 inches

**Second Shank Diameter:**

Between 1.057 inches and 1.067 inches

**First End Location:**

Threaded end

**First End Taper Angle:**

45.0 degrees

**Second End Tip Radius:**

0.180 inches

**Second End Taper Angle:**

30.0 degrees

**Second Shank Length:**

Any acceptable

**Special Features:**

Lubricant dry film surface treatment

**Material:**

Steel comp 630

**Material Specification:**

Ams 5643 assn standard single material response

**Style Designator:**

Undercut

**Thread Series Designator:**

Unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A212a0