

View Online at <https://aerobasegroup.com/nsn/5315-01-296-8346>

Head Diameter:

Between 0.600 inches and 0.800 inches

Shank Diameter:

0.500 inches

Ring Handle Diameter:

1.160 inches

Detent Quantity:

2

Actuation Method:

Push button

Grip Length:

0.020 inches

Actuation Type:

Push

Hardness Rating:

36.0 rockwell c spindle and 40.0 rockwell c spindle

Shoulder To Head End Distance:

1.140 inches

Pin Attachment Type:

Link or ring

Detent To Tapered End Distance:

0.460 inches

Special Features:

Handle material aluminum alloy qq-a-225/5 or qq-a-225/6; link material stainless steel qq-w-423 comp 302; balls material stainless steel cl 440c qq-s-763; pins rc c40 min

Material:

Steel comp 630 spindle or steel comp 632 spindle

Material Specification:

Qq-w-423 federal specification single material response ring

Surface Treatment:

Cadmium spring and passivate spring

Surface Treatment Specification:

Qq-p-416 ty ii cl 2 federal specification 1st treatment response spindle or cq-q-p-35 federal specification 2nd treatment response spindle

Style Designator:

Ring handle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-a-8625 spec.