

View Online at <https://aerobasegroup.com/nsn/5315-01-298-2845>

First End Style:

Chamfered and counterbored

Pinlength:

3.000 inches

Pindiameter:

0.5000 inches

First End Counterbore Diameter:

0.360 inches

Second End Counterbore Diameter:

0.360 inches

First End Counterbore Depth:

0.600 inches

Second End Counterbore Depth:

0.600 inches

First End Taper Length:

Between 0.063 inches and 0.167 inches

Second End Taper Length:

Between 0.063 inches and 0.167 inches

Second End Relationship With First End:

Identical

First End Taper Angle:

Between 20.0 degrees and 30.0 degrees

Second End Taper Angle:

Between 20.0 degrees and 30.0 degrees

Material:

Steel

Material Specification:

S16556-683 military standard 10th material response or stma582, type 416, cond a assn standard single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Test Data Document:

18876-12333945 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0