

View Online at <https://aerobasegroup.com/nsn/5315-01-298-7813>

**First End Style:**

Chamfered

**Second End Style:**

Round

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Thread Length:**

1.000 inches

**Shank Length:**

1.120 inches

**Shoulder Diameter:**

Between 0.365 inches and 0.375 inches

**Shank Diameter:**

0.250 inches

**Overall Length:**

2.120 inches

**First End Taper Length:**

0.060 inches

**Second End Relationship With First End:**

Not identical

**Thread Size:**

0.250 inches

**First End Location:**

Threaded end

**First End Taper Angle:**

45.0 degrees

**Second End Outer Radius:**

0.188 inches

**Special Features:**

Two symmetrical flats 0.500 in. Nom lg 0.312 in. Nom w across on shoulder adjacent with thread runout

**Material:**

Steel comp 202 or steel comp 302 or steel comp 304 or steel comp 304l or steel comp 305 or steel comp 309 or steel comp 310 or steel comp 316 or steel comp 316l or steel comp 317 or steel comp 321 or steel comp 322 or steel comp 324 or steel comp 347 or steel comp 403 or steel comp 405 or steel comp 410 or steel comp 414 or steel comp 420 or steel comp 431 or steel comp 440a or steel comp 440b or steel comp 440c or steel comp 446 or steel comp 633 or steel comp 634 or stainless steel

**Material Specification:**

Qq-s-763 federal specification all material responses

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Qq-p-35 federal specification single treatment response

**Style Designator:**

Shoulder

**Thread Series Designator:**

Unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A212a0