

View Online at <https://aerobasegroup.com/nsn/5315-01-305-7678>

First End Style:

Chamfered

Second End Style:

Chamfered

Shank Length:

4.640 inches

Shoulder Diameter:

1.500 inches

Shank Diameter:

Between 0.740 inches and 0.742 inches

Overall Length:

6.780 inches

Hole Arrangement Style:

Both end drilled

First Hole Diameter:

Between 0.165 inches and 0.172 inches

Second Hole Diameter:

Between 0.165 inches and 0.172 inches

Distance From Centerline Of Hole To End Of Pin:

0.200 inches

Center To Center Distance Between Holes:

6.130 inches

First End Taper Length:

0.060 inches

Second End Taper Length:

0.190 inches

Second End Relationship With First End:

Not identical

Hardness Rating:

30.0 rockwell c and 35.0 rockwell c

Second Shank Diameter:

Between 0.745 inches and 0.755 inches

First End Location:

Short shank end

First End Taper Angle:

45.0 degrees

Second End Taper Angle:

45.0 degrees

Second Shank Length:

1.640 inches

Material:

Steel comp 4130 or steel comp 4140

Material Specification:

Astm a322 assn standard all material responses or astm a331 assn standard all material responses

Surface Treatment:

Cadmium and chromate

Surface Treatment Specification:

Qq-p-416, type 2, class 2 federal specification single treatment response

Style Designator:

Shoulder

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A212a0