

NSN 5315-01-309-9507 Headless Shoulder Pin - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5315-01-309-9507 First End Style: Chamfered Second End Style: Chamfered **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.325 inches **Shank Length:** 0.325 inches **Shoulder Width Across Flats:** 0.500 inches **Shank Diameter:** 0.250 inches **Undercut Width:** 0.050 inches Second End Relationship With First End: Not identical **Hardness Rating:** 22.0 rockwell c and 32.0 rockwell c **Thread Size:** 0.250 inches **Second Shank Diameter:** Between 0.365 inches and 0.368 inches

First End Location:

Threaded end

First End Taper Angle:

45.0 degrees

Second End Tip Radius:

0.030 inches

Second End Taper Angle:

30.0 degrees

Material:

Steel comp 416

Material Specification:

Astm a582 assn standard single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

NSN 5315-01-309-9507

Headless Shoulder Pin - Page 2 of 2



Style Designator:
Undercut
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0