## NSN 5315-01-313-8744

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-313-8744

First End Style:

Chamfered

Second End Style:

Square

Thread Class:

За

**Thread Direction:** 

**Right-hand** 

Shoulder Diameter:

1.375 inches

Shank Diameter:

0.375 inches

**Overall Length:** 

2.626 inches

Undercut Diameter:

Between 0.298 inches and 0.308 inches

**Undercut Width:** 

Between 0.113 inches and 0.128 inches

Hole Arrangement Style:

One end drilled

First Hole Diameter:

Between 0.106 inches and 0.116 inches

Distance From Centerline Of Hole To End Of Pin:

0.191 inches

First End Taper Length:

Between 0.046 inches and 0.076 inches

Second End Relationship With First End:

Not identical

Thread Size:

0.375 inches

Second Shank Diameter:

Between 0.9980 inches and 0.9985 inches

First End Location:

Threaded end

First End Taper Angle:

45.0 degrees

Surface Finish:

16.0 microinches shoulder outside diameter

Second Shank Length:

Between 1.800 inches and 1.805 inches

Material:

Steel uns k23080

## NSN 5315-01-313-8744

Headless Shoulder Pin - Page 2 of 2



Material Specification:

Ams 6411 assn standard single material response

**Thread Series Designator:** 

Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0