## NSN 5315-01-317-5320

Headless Straight Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-317-5320 First End Style: Chamfered Second End Style: Chamfered **Hole Arrangement Style:** One end drilled First Hole Diameter: Between 0.375 inches and 0.376 inches **Distance From Centerline Of Hole To End Of Pin:** 2.156 inches Pinlength: 2.593 inches Pindiameter: Between 0.7895 inches and 0.7905 inches First End Taper Length: 0.062 inches **Second End Taper Length:** 0.187 inches Second End Relationship With First End: Not identical **Hardness Rating:** 38.0 rockwell c and 42.0 rockwell c First End Taper Angle: Between 43.0 degrees and 47.0 degrees **Surface Finish:** 63.0 microinches **Second End Taper Angle:** Between 13.0 degrees and 17.0 degrees Material: Steel comp 630 **Material Specification:** Aisi assn standard single material response **Surface Treatment:** Lubricant **Surface Treatment Specification:** Mil-I-46010 military specification single treatment response Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** No

## NSN 5315-01-317-5320

Headless Straight Pin - Page 2 of 2



Fiig:

A212a0

Mil-std (military Standard):

Mil-I-46010 spec.