NSN 5315-01-318-8372

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-318-8372 First End Style: Chamfered Second End Style: Chamfered **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.742 inches and 0.762 inches **Shank Length:** Between 0.740 inches and 0.760 inches **Shoulder Width Across Flats:** Between 0.615 inches and 0.635 inches **Shank Diameter:** Between 0.4925 inches and 0.4930 inches **Overall Length:** Between 1.800 inches and 1.860 inches **End Application:** 68a312006/radome nose barrel First End Taper Length: Between 0.330 inches and 0.350 inches **Second End Taper Length:** Between 0.046 inches and 0.076 inches Second End Relationship With First End: Not identical **Thread Size:** 0.250 inches **Second Shank Diameter:** 0.3742 inches First End Location: Unthreaded end First End Taper Angle: 30.0 degrees First End Tip Radius: 0.150 inches **Second End Taper Angle:**

45.0 degrees

Second Shank Length:

Between 0.970 inches and 0.990 inches

Material:

Titanium alloy

NSN 5315-01-318-8372

Headless Shoulder Pin - Page 2 of 2



Material Specification:
Mil-t-9047, cond anl military specification single material response
Style Designator:
Shoulder
Thread Series Designator:
Unf
Shelf Life:
N/a

Demilitarization:

Unit Of Measure:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-t-9047 spec.