

View Online at <https://aerobasegroup.com/nsn/5315-01-319-1220>

**First End Style:**

Chamfered

**Head Style:**

Flat

**Under Head Length:**

Between 1.030 inches and 1.080 inches

**First Step Diameter:**

Between 0.340 inches and 0.370 inches

**First Step Length:**

Between 0.050 inches and 0.060 inches

**Second Step Diameter:**

Between 0.248 inches and 0.249 inches

**Second Step Length:**

Between 0.980 inches and 1.020 inches

**Internal Drive Style:**

Slot

**End Application:**

Aug mod/f100pw0229 engine

**First End Taper Length:**

Between 0.020 inches and 0.040 inches

**First End Taper Angle:**

Between 40.0 degrees and 50.0 degrees

**Pin Head Diameter:**

Between 0.480 inches and 0.500 inches

**Height:**

Between 0.110 inches and 0.115 inches

**Material:**

Cobalt comp I-605

**Material Specification:**

Ams 5759 assn standard single material response

**Style Designator:**

Shoulder

**Supplementary Features:**

Slotted hole 0.270 in. Min and 0.285 in. Maximum in length/0.080 in. Min and 0.095 in. Maximum in width

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A212a0